

CENOVNIK

EMPERTECH™
by **Honeywell**

 **TK-AUDIO**


Slika	Šifra	Opis	Proizvođač	Model	Cena EUR
POJAČALA					
	135150	Pojačalo, 70/100V niske impedanse 4-16 ohms. Snaga 660W, dijapazon učestanosti 60-15000Hz, S/N Ration veće od 70dB, Potrošnja 485W. Napajanje 220VAC, 50-60Hz, dimenzije 133x496x483, težina 21.7kg.	Empertech	KB-D6600A	€ 1.002
	135151	Pojačalo, 70/100V niske impedanse 4-16 ohms. Snaga 1000W, dijapazon učestanosti 50-18000Hz, S/N Ration veće od 105dB, Potrošnja 1350W. Napajanje 220VAC, 50-60Hz, dimenzije 133x486x483, težina 28.1kg.	Empertech	KB-A1000	€ 1.434
POJAČALA SA MIKSETOM					
	133152	Pojačalo-mixer sa 5 ulaza, ugrađen RF tuner, USB i MP3 player. 70/100V niske impedanse 4-16ohms. Snaga 70W, ulaz za 3 mikrofona i 2 auxiliary ulaza. Dijapazon učestanosti 60-15000Hz, S/N Ration>73dB, Potrošnja 85W. Kontrola svakog ulaznog kanala, BAS control (100Hz ±10dB), Tremble control (12kHz ±10dB). Napajanje 110-120V/220-240V AC, 50-60Hz. Dimenzije 89x483x366, težina 10,04kg. Rack mount.	TK-AUDIO	AP-200M	€ 262
	133171	Pojačalo-mixer sa 5 ulaza, ugrađen RF tuner, USB i MP3 player. 70/100V niske impedanse 4-16ohms. Snaga 130W, ulaz za 3 mikrofona i 2 auxiliary ulaza. Dijapazon učestanosti 60-15000Hz, S/N Ration>73dB, Potrošnja 175W. Kontrola svakog ulaznog kanala, BAS control (100Hz ±10dB), Treble control (12kHz ±10dB). Napajanje 110-120V/220-240V AC, 50-60Hz. Dimenzije 89x483x366, težina 12,36kg. Rack mount	TK-AUDIO	AP-300M	€ 310
	133173	Pojačalo-mixer sa 5 ulaza, ugrađen RF tuner, USB i MP3 player. 70/100V niske impedanse 4-16ohms. Snaga 260W, ulaz za 3 mikrofona i 2 auxiliary ulaza. Dijapazon učestanosti 60-15000Hz, S/N Ration>73dB, Potrošnja 175W. Kontrola svakog ulaznog kanala, BAS control (100Hz ±10dB), Treble control (12kHz ±10dB). Napajanje 110-120V/220-240V AC, 50-60Hz. Dimenzije 89x483x366, težina 13,68. Rack mount	TK-AUDIO	AP-600M	€ 424
	133427	Pojačalo-mixer sa 5 ulaza, ugrađen RF tuner, USB i MP3 player. 70/100V niske impedanse 4-16ohms. Snaga 360W, ulaz za 3 mikrofona i 2 auxiliary ulaza. Dijapazon učestanosti 60-15000Hz, S/N Ration>73dB, Potrošnja 175W. Kontrola svakog ulaznog kanala, BAS control (100Hz ±10dB), Treble control (12kHz ±10dB). Napajanje 110-120V/220-240V AC, 50-60Hz, zaštita od kratkog spoja na izlazu zvučnika. Dimenzije 89x483x366, 14,08kg. Rack mount	TK-AUDIO	AP-1000M	€ 553
	134054	Pojačalo-mixer sa 5 ulaza, ugrađen RF tuner, USB i MP3 player. 70/100V niske impedanse 4-16ohms. Snaga 360W, ulaz za 3 mikrofona i 2 auxiliary ulaza. Dijapazon učestanosti 60-15000Hz, S/N Ration>73dB, Potrošnja 175W. Kontrola svakog ulaznog kanala, BAS control (100Hz ±10dB), Treble control (12kHz ±10dB). Napajanje 110-120V/220-240V AC, 50-60Hz, zaštita od kratkog spoja na izlazu zvučnika. Dimenzije 89x483x366, 14,08kg. Rack mount	Empertech	KB-C360PT	€ 501

POJAČALA SA MIKSETOM I IZBOROM ZONA					
	133612	Pojačalo-Mixer 240W sa izborom 5 zona. Mogućnost dodavanja modula KBD5120 ili KB-D5240. 70/100V niske impedanse 8 ohms, potrošnja 300W, dimenzija 420x88x320, težina 10.93kg.	Empertech	KB-D5240	€ 508
	137009	Pojačalo-Mixer 240W sa izborom 5 zona. Mogućnost dodavanja modula KBD5120 ili KB-D5240. 70/100V niske impedanse 8 ohms, potrošnja 300W, dimenzija 420x88x320, težina 10.93kg.	TK-AUDIO	M-5240	€ 508
	135161	FM Tuner/ MP3 / USB / SD modul za KB-D5120 i KB-D5240. Nudi visok kvalitet zvuka reprodukovanih formata WAV, WMA, MP3, i AAC audio formata sa USB i SD. Ugrađena 64K NOR flash memorija za skladištenje programskog koda, elektronski regulator jačine zvuka 32 stepena, prepoznavanje do 2000 datoteka i 200 foldera, dostupna ID3 oznaka do 32 karaktera (Ime datoteke-> Naslov-> Izvođač-> Album).	Empertech	KB-AS20	€ 142
	133155	CD/DVD Player	TK-AUDIO	AP-DV	€ 142
PLAFONSKI ZVUČNICI					
	133598	Plafonski plastični zvučnik – unutrašnji prečnik 175 mm za 100V liniju, 3/6W . Spoljna mera 185mm x 75mm. Jačina 90dB, izobličenje < 3%, dijaapazon učestanosti 100Hz-15kHz. Masa 0,76kg. Stranične štipaljke, bela boja.	Empertech	TF-205/5	€ 11
	133174	Plafonski plastični zvučnik – unutrašnji prečnik 175 mm za 100V liniju, 1.5W/3W/6W . Spoljna mera 188mm x 75mm. Jačina 92dB, dijaapazon učestanosti 100Hz-15kHz. Masa 0,76kg. Bela boja RAL 9003.	Empertech	CH-705/5	€ 12
	137013	Plafonski zvučnik – unutrašnji prečnik 175 mm za 100V liniju, 1 SW/3W/6W . Spoljna mera 200mm x 100mm. Jačina 92dB, dijaapazon učestanosti 330Hz-20kHz. Masa 0,94kg. Bela boja RAL 9003.	TK-AUDIO	CH-719/H	€ 17
	133600	Plafonski plastični zvučnik sa zaštitnom kutijom (backbox) – Unutrašnji prečnik 160mm, 100V linija: 1.5/3/6W, dimeznija 180 mm x 110 mm , Jačina 90dB, izobličenje < 3%, dijaapazon učestanosti 100Hz-15kHz. Masa 0,78kg.	Empertech	ETF-202	€ 12
	133601	Plafonski metalni zvučnik za 100V liniju. 1.5/3/6 W , unutrašnji prečnik 150 mm, spoljašnja mera 180 mm x 55mm. Jačina 88dB, izobličenje < 3%, dijaapazon učestanosti 80Hz-20kHz. Boja bela, masa 0.68 Kg.	Empertech	TF-20C	€ 10
	133674	Plafonski dvosistemski plastični zvučnik – unutrašnji prečnik 210 mm za 100V liniju, 20W. Spoljna mera 240mm x 115mm. Jačina 90dB, izobličenje < 3%, dijaapazon učestanosti 100Hz-20kHz. Boja bela, masa 2 Kg .	Empertech	ETF-223	€ 34
NAZIDNI ZVUČNICI					
	135152	Zidni zvučnik aluminijumski namenjen za spoljašnju i unutrašnju namenu, IP 44, a 70V/100V liniju, snaga 30W/15W, jačina 94dB, dijaapazon učestalosti 120Hz - 20KHz, dimenzija 123 mm , težina 4.35kg, boja šampanjca.	Empertech	CS-513H	€ 60
	137014	Dvosistemski plastični zidni zvučnik bele boje – 302 x 172x 165 mm za 100V liniju. Snaga 40W/20W/10W . Jačina 89dB, dijaapazon učestanosti 90Hz-20kHz. Masa 3.4kg.	TK-AUDIO	CW-206W/5	€ 65
	133616	Dvosistemski plastični zidni zvučnik bele boje – 302 x 172x 165 mm za 100V liniju. Snaga 40W/20W/10W . Jačina 84dB, dijaapazon učestanosti 75Hz-20kHz. Masa 3.4kg.	Empertech	EWS-206W/5	€ 51
	133615	Dvosistemski plastični zidni zvučnik crne boje – 302 x 172x 165 mm za 100V liniju. Snaga 40W/20W/10W. Jačina 84dB, dijaapazon učestanosti 75Hz-20kHz. Masa 3.4kg.	Empertech	EWS-206B/5	€ 51
	133665	Zidni zvučnik bele boje – 345x240x100 mm za 70V/100V liniju. Snaga 10W/5W. Jačina 91dB, dijaapazon učestanosti 150Hz-20kHz. Masa 1.68KG.	Empertech	EWS-102	€ 22

	133675	Zidni plastični zvučnik bele boje – 260×180×120 mm za 70V/100V liniju. Snaga 3W/6W. Jačina 88dB, dijaapazon učestanosti 200Hz-8kHz. Masa 1.08KG.	Empertech	ET-WM06	€ 11
VIŠEĆI ZVUČNICI					
	135040	EHB-P10A Projekcioni zvučnik za 100V liniju, 10W, jačina 92dB, dijaapazon učestanosti 150Hz-15kHz. Težina 1350g, boja bela, dimenzija Φ180mm Proizvođač: Empertech.	Empertech	EHB-P10A	€ 39
ZVUČNIK HORNA					
	134401	Zvučnik - 225x165x240mm, za 70/100V liniju. Snaga 15W/7.5W. Jačina 99dB, dijaapazon učestanosti 500Hz-5kHz. Materijal plastika, boja bela, težina 1.38kg.	Empertech	HS-267	€ 31
ATENUATORI					
	133666	5-stepeni transformatorski atenuator. Kontrolisana snaga 6W. 20Hz-20kHz. Mono. Dimenzije 86x86x50mm.	Empertech	VC-05R	€ 6
	133602	5-stepeni transformatorski atenuator. Kontrolisana snaga 30W. 20Hz-20kHz. Mono. Dimenzije 86x86x62mm.	Empertech	VC-30W	€ 11
	133095	5-stepeni transformatorski atenuator sa 24VDC relejem. Kontrolisana snaga 30W. 20Hz-20kHz. Mono. Dimenzije 86x86x62mm.	TK-AUDIO	VC-5030WF	€ 15
	137010	5-stepeni transformatorski atenuator sa 24VDC relejem. Kontrolisana snaga 60W. 20Hz-20kHz. Mono, dimenzije 86 (W) x 86 (H) x 70 (D) mm.	TK-AUDIO	VC-5060WF	€ 20
<u>TK-Audio Public Address System</u> Product Catalog					

MIKROFONI					
	133667	Mikrofon sa prilagodljivim telom i integrisanim zvonom . Učestanost 50Hz – 15kHz. ABS osnova. Ugrađena dva zvona, Crevni LED indikator, PTT taster, XLR konektor, Impedansa 200Ω, osetljivost: -43 dB / ± -2dB, do 8m kabla, sa konektorom. Dimenzije 43×20×7.5 cm, težina 1.05kg.	Empertech	MC-Z20	€ 46
	133668	Mikrofon sa prilagodljivim telom i integrisanim zvonom . Učestanost 50Hz – 15kHz. Metalna osnova. ON/OFF taster Impedansa 200Ω, osetljivost: -43 dB / ± -2dB, do 10m kabla sa konektorom. Dimenzije 430 × 200 × 75 mm, težina 1.4kg.	Empertech	MC-Z30	€ 28
	137011	Mikrofon sa prilagodljivim telom i integrisanim zvonom . Učestanost 40Hz – 16kHz. ABS osnova. Ugrađena dva zvona, Crevni LED indikator, PTT taster, XLR konektor, Impedansa 200Ω, osetljivost: -43 dB / ± -2dB, do 8m kabla, sa konektorom. Dimenzije 125x150x35 mm, težina 0.67kg.	TK-AUDIO	MC-200	€ 54
	133434	AP-9810P Master kontroler obavlja funkcije obrade, rutiranja, kontrole i nadzora signala za ceo sistem. Jedan kontroler može da radi kao 10 zonski PA / VA sistem. Kada je potrebno više zona zvučnika, može se proširiti korišćenjem drugog slave AP-9810P.	TK-AUDIO	AP-9810P	€ 227
	137012	AP-9810R 10-zonska stanica za daljinsko upravljanje mikrofonom za pejdžing, radi sa AP-9810P zonom da biste izabrali sve zone ili izabrane zone za najavu.	TK-AUDIO	AP-9810R	€ 223
		AP-9813D 10-zonska selektor zvučnika. Dava ulazna kanala A/B, 10 izlaznih kanala za zvučnike, 70/100V niske impedanse 4-16ohms.	TK-AUDIO	AP-9813D	€ 234
	137015	Monitoring zvuka do 10 kanala preko ugrađenog zvučnika	TK-AUDIO	AP-9812M	€ 168

* Quantity as required



Component Parts of a Simple PA System